



GENERAL NOTES

CONTRACTOR IS RESPONSIBLE FOR ALL LOCATES INCLUDING ALL UNDERGROUND SERVICES PRIOR TO ANY EXCAVATION OR INSTALLATIONS. THE CONTRACTOR IS REQUIRED TO NOTIFY THE VARIOUS UTILITY COMPANIES 48 HOURS PRIOR TO THE COMMENCEMENT OF ANY WORK.

ANY ACCOMPANYING DOCUMENTATION RELATING TO THE LANDSCAPE PLAN AND/OR PRESERVATION PLAN SUCH AS TENDER DOCUMENTS AND CHANGE NOTICES ARE TO BE ENDORSED BY J.D.B. ASSOCIATES LIMITED PRIOR TO THE BEGINNING OF ANY SITE WORKS. IN THE EVENT THAT OF A DISCREPANCY THE DRAWING SHALL BE ASSUMED CORRECT.

IT IS THE RESPONSIBILITY OF THE PERSON OR PERSONS RESPONSIBLE FOR THE CONSTRUCTED WORKS TO NOTIFY THE LANDSCAPE ARCHITECT WHEN PREPARED FOR ANY REQUIRED INSPECTIONS AND SIGN OFFS.

SCHEDULED MEETINGS SHALL TAKE PLACE AT THE CLOSEST MUTUALLY CONVENIENT TIME.

No.	REVISION	DATE	APRV
1.	CLIENT REVIEW	December 6 th , 2022	StT
2.	AS PER TOWN COMMENTS	December 27 th , 2023	StT
3.	AS PER TOWN COMMENTS	May 28 th , 2024	StT
4.	AS PER TOWN COMMENTS	August 1st, 2024	StT

ALL DRAWINGS AND SPECIFICATIONS ARE INSTRUMENTS OF SERVICE AND ARE THE PROPERTY OF JDB ASSOCIATES LIMITED. DRAWINGS ARE NOT TO BE MODIFIED AND/OR REPRODUCED WITHOUT THE WRITTEN CONSENT OF JDB ASSOCIATES LIMITED. REPRODUCTION OF DRAWINGS IN ANY FORM WITHOUT THE CONSENT OF JDB ASSOCIATES LIMITED VOIDS THE DRAWING AT WHICH TIME JDB ASSOCIATES LIMITED ACCEPTS NO LIABILITY FOR THE DRAWING CONTENT OR WORKS RESULTING FROM SAID REPRODUCTION. DRAWINGS MAY BE REPRODUCED BY MUNICIPAL AND GOVERNMENT AGENCIES RESPONSIBLE FOR APPROVALS FOR THEIR OWN USE. JDB ASSOCIATES RESERVES THE RIGHT TO WITHDRAW ANY DRAWING(S) FROM GOVERNMENT OR MUNICIPAL AGENCIES WHETHER APPROVED OR NOT IN THE

IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY ALL DIMENSIONS ON THE SITE AND REPORT ANY DISCREPANCIES OR VARIATIONS FROM THE SUPPLIED INFORMATION TO THE LANDSCAPE ARCHITECT WITH THE PROJECT. JDB ASSOCIATES LIMITED IS NOT RESPONSIBLE FOR THE ACCURACY OF SURVEY, ARCHITECTURAL, MECHANICAL, ENGINEERING OR ELECTRICAL INFORMATION SHOWN ON THE DRAWING. FOR FURTHER INFORMATION REFER TO APPROPRIATE SURVEY, ARCHITECTURAL, MECHANICAL, ENGINEERING OR

ELECTRICAL DRAWINGS PRIOR TO PROCEEDING WITH ANY WORKS.


THIS DRAWING IS NOT TO BE SCALED.

BASE PLAN REVISED: MARCH, 2022

Client info:
IPS- INNOVATIVE PLANNING
SOLUTIONS

647 Welham Road, Unit 9A, Barrie, ON,


ACCEPTED BY:



JDB associates LTD.

Urban Designers Landscape Architects Arborists

274 Burton Ave., Suite 1201 Barrie, Ontario L4N 5W4




Fax: 705-722-5660 Tel: 705-722-6278

LOT 31 CLARK ST

Town of the Blue Mountains, ON

TREE INVENTORY/ PRESERVATION PLAN

SCALE:	DESIGNED BY:	REVIEWED BY:		
1 : 600	IT	NB		
TOWN FILE No.	OUR FILE REF. # 14-22			



D1 - TREE PRESERVATION / SNAKE FENCE (REFER TO SNAKE FENCE NOTES)

THE INTENT OF TREE PRESERVATION AND PROTECTION IS TO PROVIDE AN INVENTORY OF EXISTING TREES ON SITE. IT IS NOT A SURVEY AND THEREFORE THE EXACT LOCATION OF EXISTING TREES MUST BE VERIFIED ON SITE PRIOR TO THE COMMENCEMENT OF ANY CONSTRUCTION WORKS.

ALL TREES TO BE PRESERVED SHALL BE INDICATED AND MARKED AS SUCH ON SITE BY THE LANDSCAPE ARCHITECT PRIOR TO THE SITE DEVELOPMENT.

AS PART OF THE CLEARING AND GRUBBING, TREES LOCATED AT THE EDGES OF STANDS ABUTTING RESIDENTIAL ARE ARE TO BE PRUNED OF DEAD AND DISEASED LIMBS. PRUNING TO BE COMPLETED IN ACCORDANCE TO ACCEPTED HORTICULTURAL PRACTICES AND TO THE SATISFACTION OF THE LANDSCAPE ARCHITECT.

IN THE EVENT THAT A TREE THAT HAS BEEN DESIGNATED FOR PRESERVATION IS DAMAGED OR REMOVED WITHOUT PRIOR WRITTEN PERMISSION FROM THE TOWN, THE LAND OWNER SHALL BE RESPONSIBLE FOR THE REPLACEMENT OF SAID TREE WITH TREES OF EQUAL CALIPER VALUE AND COMPARABLE SPECIES, TO THE SATISFACTION OF THE THE TOWN AND THE LANDSCAPE ARCHITECT.

SPECIFICATIONS FOR PRESERVATION & PROTECTION

PRIOR THE COMMENCEMENT OF ANY CONSTRUCTION WORKS, ALL TREES OR BLOCKS OF TREES THAT HAVE BEEN DESIGNATED FOR PRESERVATION, AS INDICATED ON THE ACCOMPANYING PLAN SHALL BE FULLY PROTECTED BY THE ERECTION OF HOARDING OUTSIDE OF OR AT THE DRIP LINE (SEE DETAIL). AREAS WITHIN THE HOARDING SHALL BE CLEARED AND GRUBBED ONLY UNDER THE WRITTEN DIRECTION AND SUPERVISION OF THE LANDSCAPE ARCHITECT.

EQUIPMENT OR VEHICLES SHALL NOT BE PARKED, REPAIRED OR REFUELED WITHIN TREE PROTECTION ZONE, CONSTRUCTION MATERIALS SHALL NOT BE STORED AND EARTH MATERIALS SHALL NOT BE STOCKPILED WITHIN THE DRIP LINE AREA OF ANY TREE NOT DESIGNATED FOR REMOVAL.

ANY TREES NOT DESIGNATED FOR REMOVAL SHALL NOT HAVE RIGGING CABLES ATTACHED OR WRAPPED AROUND THEM NOR SHALL ANY CONTAMINANTS BE DUMPED WITHIN THE PROTECTIVE AREAS. FURTHER, NO CONTAMINANTS SHALL BE DUMPED OR FLUSHED WHERE THEY MAY COME INTO CONTACT WITH THE FEEDER ROOTS OF THE TREES TO BE PRESERVED.

THE CONTRACTOR OR LAND OWNER SHALL TAKE EVERY PRECAUTION TO PREVENT DAMAGE TO TREES OR SHRUBS THAT ARE NOT DESIGNATED FOR REMOVAL AS PER THE ACCOMPANYING PLAN.

UNLESS THE CONTRACT WORK SPECIFICALLY REQUIRES WORK WITHIN THE DRIP LINE OF TREES NOT DESIGNATED FOR REMOVAL, EQUIPMENT SHALL NOT BE OPERATED WITHIN THAT DRIP LINE AREA. WHEN CONTRACT WORK MUST BE COMPLETED WITHIN THE DRIP LINE OF TREES NOT DESIGNATED FOR REMOVAL, OPERATION OF EQUIPMENT WITHIN THAT DRIP LINE SHALL BE KEPT TO THE MINIMUM AMOUNT REQUIRED TO COMPLETE THE WORKS. PRIOR TO THE COMMENCEMENT OF SUCH WORKS THE LANDSCAPE ARCHITECT MUST BE GIVEN WRITTEN NOTIFICATION AND WILL SUBSEQUENTLY BE REQUIRED TO INSPECT SAID WORKS.


THE CONTRACTOR'S OPERATION SHALL IN NO WAY CAUSE DAMAGE TO THE TRUNK OR BRANCHES OF TREES NOT DESIGNATED FOR REMOVAL.

THE CONTRACTOR'S OPERATION SHALL NOT CAUSE FLOODING OR SEDIMENT DEPOSITS IN AREAS WHERE TREES ARE NOT DESIGNATED FOR REMOVAL.

IN THE EVENT THAT IT IS NECESSARY TO REMOVE LIMBS OR PORTIONS OF TREES NOT DESIGNATED FOR REMOVAL, WRITTEN APPROVAL AND DIRECTION MUST BE GIVEN BY THE LANDSCAPE ARCHITECT PRIOR TO ANY WORKS. THE REMOVALS MUST BE EXECUTED CAREFULLY AND IN ACCORDANCE WITH STANDARD HORTICULTURAL PRACTICES AND TECHNIQUES.

NO GRADING SHALL TAKE PLACE WITHIN THE PRESERVATION ZONE.

D3 - NOTES FOR PRESERVATION AND PROTECTION



THE DRIP LINE OF VEGETATION IS CONSIDERED THE LIMIT OF PRESERVATION.

NOTES

CHANGES OR MODIFICATIONS TO THE LIMIT OF PRESERVATION MUST BE APPROVED IN WRITING BY THE LANDSCAPE ARCHITECT AND MUST BE PROVIDED PRIOR TO ANY WORK TO OR WITHIN THE PRESERVATION ZONE.

TREE LIMBS THAT WILL INTERFERE WITH CONSTRUCTION OR SITE ACCESS MUST BE REMOVED USING STANDARD HORTICULTURAL PRACTICES.

"DRIP LINE" IS DEFINED AS THE PERIMETER EXTENT OF THE CROWN OR CANOPY.

FOR FURTHER INFORMATION REFER TO TREE PROTECTION & PRESERVATION NOTES AND SPECIFICATIONS.

CLEARING AND GRUBBING WITHIN THE PRESERVATION ZONE MAY ONLY BE DONE UNDER THE SUPERVISION OF THE LANDSCAPE ARCHITECT.

NO CLEARING OR GRUBBING IS PERMITTED WITHIN THE ENVIRONMENTAL PROTECTION AREA.

D2 - LIMIT OF TREE PRESERVATION DETAIL

1. PROTECTION AREA IS INITIALLY IDENTIFIED IN THE FIELD BY A LICENSED ONTARIO SURVEYOR. THIS LINE APPROXIMATELY ESTABLISHES THE LIMITS OF TREE PRESERVATION SUBJECT TO AN ON-SITE MEETING WITH TOWN OF BLUE MOUNTAINS PARKS PLANNING STAFF AND THE LANDSCAPE ARCHITECT/ARBORIST.

2. THE LANDSCAPE ARCHITECT/ARBORIST AND THE TOWN OF BLUE MOUNTAINS PARKS PLANNING STAFF MEET TO REVIEW THE SURVEYED LINE PRIOR TO ANY TREE REMOVAL OCCURRING, AND TO ADJUST THE LINE WHERE APPROPRIATE TO REFLECT THE ACTUAL NATURE OF A TREED AREA AS OPPOSED TO A STRAIGHT CUT LINE

3. TREES THAT ARE SUSCEPTIBLE TO FALLING ONTO PRIVATE PROPERTY OR MUNICIPAL PROPERTY FROM WITHIN THE TREE PRESERVATION ZONE WILL BE IDENTIFIED FOR REMOVAL. REMOVAL WILL TAKE PLACE AS PRESCRIBED IN ITEM #6 BELOW.

4. ONCE THE SITE VISIT HAS CONCLUDED, THEN TREE PRESERVATION FENCING WILL BE ERECTED ALONG THE AGREED TREE PRESERVATION LINE.

5. FULL TREE REMOVAL OUTSIDE OF THE TREED AREAS MAY OCCUR ONCE THE PRESERVATION FENCING HAS BEEN ERECTED AND ALL REQUIRED TREE REMOVAL PERMITTING IS ISSUED.

6. TREES ARE TO BE FELLED IN SUCH A MANNER AS TO NOT DISTURB VEGETATION TO REMAIN. NO MACHINERY OR EQUIPMENT SHALL BE OPERATED OR STORED WITHIN THE DRIPLINE OF PROTECTED TREES.

7. STUMP REMOVALS ARE TO BE IMPLEMENTED AS TO NOT TO DISTURB THE GROUND WITHIN THE TREE PRESERVATION ZONE.

8. ONCE TREE REMOVAL HAS OCCURRED, AND PRIOR TO THE ISSUANCE OF THE UNDERGROUND CERTIFICATE, A RE-INSPECTION OF THE TREE PRESERVATION AREAS MUST OCCUR WITH TOWN OF BLUE MOUNTAINS STAFF AND THE LANDSCAPE ARCHITECT/ARBORIST. ANY ADDITIONAL TREES TO BE REMOVED WILL BE NOTED BY THE TOWN OF BLUE MOUNTAINS PARKS PLANNING STAFF AND LANDSCAPE ARCHITECT/ARBORIST.

9. ALL TREES ON ADJACENT PRIVATE LAND SHALL RECEIVE DRIPLINE PROTECTION.

TREE PRESERVATION PROCESS

OTE:

NO TREE CUTTING SHALL OCCUR BETWEEN APRIL 1st AND OCTOBER 31st UNLESS CLEARANCE FROM M.N.R. AND M.E.C.P. IS PROVIDED.



GENERAL NOTES

CONTRACTOR IS RESPONSIBLE FOR ALL LOCATES INCLUDING ALL UNDERGROUND SERVICES PRIOR TO ANY EXCAVATION OR INSTALLATIONS. THE CONTRACTOR IS REQUIRED TO NOTIFY THE VARIOUS UTILITY COMPANIES 48 HOURS PRIOR TO THE COMMENCEMENT OF ANY WORK.

ANY ACCOMPANYING DOCUMENTATION RELATING TO THE LANDSCAPE PLAN AND/OR PRESERVATION PLAN SUCH AS TENDER DOCUMENTS AND CHANGE NOTICES ARE TO BE ENDORSED BY J.D.B. ASSOCIATES LIMITED PRIOR TO THE BEGINNING OF ANY SITE WORKS. IN THE EVENT THAT OF A DISCREPANCY THE DRAWING SHALL BE ASSUMED CORRECT.

IT IS THE RESPONSIBILITY OF THE PERSON OR PERSONS RESPONSIBLE FOR THE CONSTRUCTED WORKS TO NOTIFY THE LANDSCAPE ARCHITECT WHEN PREPARED FOR ANY REQUIRED INSPECTIONS AND SIGN OFFS.

SCHEDULED MEETINGS SHALL TAKE PLACE AT THE CLOSEST MUTUALLY CONVENIENT TIME.

No.	REVISION	DATE	APRVD
1.	CLIENT REVIEW	December 6 th , 2022	StT
2.	AS PER TOWN COMMENTS	December 27 th , 2023	StT
3.	AS PER TOWN COMMENTS	May 28th, 2024	StT
4.	AS PER TOWN COMMENTS	August 1st, 2024	StT


ALL DRAWINGS AND SPECIFICATIONS ARE INSTRUMENTS OF SERVICE AND ARE THE PROPERTY OF JDB ASSOCIATES LIMITED. DRAWINGS ARE NOT TO BE MODIFIED AND/OR REPRODUCED WITHOUT THE WRITTEN CONSENT OF JDB ASSOCIATES LIMITED. REPRODUCTION OF DRAWINGS IN ANY FORM WITHOUT THE CONSENT OF JDB ASSOCIATES LIMITED VOIDS THE DRAWING AT WHICH TIME JDB ASSOCIATES LIMITED ACCEPTS NO LIABILITY FOR THE DRAWING CONTENT OR WORKS RESULTING FROM SAID REPRODUCTION.

DRAWINGS MAY BE REPRODUCED BY MUNICIPAL AND GOVERNMENT AGENCIES RESPONSIBLE FOR APPROVALS FOR THEIR OWN USE.

JDB ASSOCIATES RESERVES THE RIGHT TO WITHDRAW ANY DRAWING(S) FROM GOVERNMENT OR MUNICIPAL AGENCIES WHETHER APPROVED OR NOT IN THE EVENT THAT ACCOUNTS ARE NOT SETTLED OR REMAIN OUTSTANDING.

IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY ALL DIMENSIONS ON THE SITE AND REPORT ANY DISCREPANCIES OR VARIATIONS FROM THE SUPPLIED INFORMATION TO THE LANDSCAPE ARCHITECT WITH THE PROJECT. JDB ASSOCIATES LIMITED IS NOT RESPONSIBLE FOR THE ACCURACY OF SURVEY, ARCHITECTURAL, MECHANICAL, ENGINEERING OR ELECTRICAL INFORMATION SHOWN ON THE DRAWING. FOR FURTHER INFORMATION REFER TO APPROPRIATE SURVEY, ARCHITECTURAL, MECHANICAL, ENGINEERING OR ELECTRICAL DRAWINGS PRIOR TO PROCEEDING WITH ANY WORKS.

THIS DRAWING IS NOT TO BE SCALED.




ACCEPTED BY:



JDB associates LTD

Urban Designers Landscape Architects Arborists

274 Burton Ave., Suite 1201 Barrie, Ontario L4N 5W4




Town of the Blue Mountains, ON

LOT 31 CLARK ST


TREE PRESERVATION DETAILS

SCALE:	DESIGNED BY:	REVIEWED BY:
NTS	IT	NB
TOWN FILE No.	OUR FILE REF. # 14-22	TP-2




CODE	QNTY	COMMON NAME	BOTANICAL NAME	SIZE	FORM	SPACING	DETAIL	NOTES
	DECIDUOUS TREES							
As	6	SUGAR MAPLE	Acer saccharum	60 mm	W.B.	9.0 m o/c	D-1	Full Form/ Fall prunning only
Co	5	COMMON HACKBERRY	Celtis occidentalis	60 mm	W.B.	9.0 m o/c	D-1	Full Form
Gt	2	SHADEMASTER HONEYLOCUST	Gleditsia triacanthos var. inermis 'Shademaster'	60 mm	W.B.	9.0 m o/c	D-1	Full Form
Ov	4	IRONWOOD	Ostrya virginiana	60 mm	W.B.	7.0 m o/c	D-1	Full Form/ Spring plant only
Qa	8	WHITE OAK	Quercus alba	60 mm	W.B.	15.0 m o/c	D-1	Spring planting/ Soil pH<7.5
CONIFI	EROUS	TREES						
Pg	29	WHITE SPRUCE	Picea glauca	200cm	w.b.	5m o/c	D-2	Full form / Do not cut leader
Jv	12	EASTERN RED CEDAR	Juniperus virginiana	200cm	w.b.	2.5m o/c	D-2	Full form / Do not cut leader
Ps	7	EASTERN WHITE PINE	Pinus strobus	150 cm	w.b.	6m o/c	D-2	Full form / Do not cut leader
SHRUB	S							
Aaln	12	SERVICE-BERRY	Amelanchier alnifolia	60 cm	3 gal	1.8m o/c	D-3	Full form / Container grown
Jc	8	CANADIAN JUNIPER	Juniperus communis var. depressa	40cm	3 gal	1.5m o/c	D-2	Full form / Container grown
JsM	3	MOFFET JUNIPER	Juniperus scopulorum 'Moffettii'	150cm	w.b.	1.5 m o/c	D-3	Full form / Container grown
	E PERI	ENNIALS					ı	
Rh	64	BLACK EYED SUSAN	Rudbeckia hirta	1 gal	pot	0.90 m o/c	n/a	Full form / Container grown
SITE !	PLAN	PLANT LIST. REFER TO DETAILS AND	NOTES ON LP-2					
DECIDU	UOUS '							
Ar	3	RED MAPLE	Acer rubrum	60 mm	W.B.	9.0 m o/c	D-1	Full Form/ Fall prunning only
Asn	3	SILVER MAPLE	Acer saccharinum	60 mm	W.B.	9.0 m o/c	D-1	Full Form/ Fall prunning only
Co	3	COMMON HACKBERRY	Celtis occidentalis	60 mm	W.B.	9.0 m o/c	D-1	Full Form
Qr	5 EDOUS	RED OAK TREES	Quercus rubra	60 mm	W.B.	9.0 m o/c	D-1	Spring planting/ Soil pH<7.5
								1
Ab	8	BALSAM FIR	Abies balsamea	200cm	w.b.	6m o/c	D-2	Full form / Do not cut leader
L1	5	AMERICAN LARCH	Larix laricina	200cm	w.b.	8.0m o/c	D-2	Full form / Do not cut leader
NATIVI	E SHR	UBS						
Amel	21	BLACK CHOKEBERRY	Aronia melanocarpa	60 cm	3 gal	1.2m o/c	D-3	Full form / Container grown
Asto	17	RUNNING JUNEBERRY	Amelanchier stolonifera	60 cm	3 gal	1.8m o/c	D-3	Full form / Container grown
Came	7	AMERICAN HAZELNUT	Corylus americana	60 cm	3 gal	2.5m o/c	D-3	Full form / Container grown
Popu	17	COMMON NINEBARK	Physocarpus opulifolius	60 cm	3 gal	1.8m o/c	D-3	Full form / Container grown
Rpal	42	SWAMP ROSE	Rosa palustris	60 cm	3 gal	1.0m o/c	D-3	Full form / Container grown
Vraf	18	DOWNY ARROW-WOOD	Viburnum rafinesquianum	60 cm	3 gal	1.5m o/c	D-3	Full form / Container grown
Vtri	15	HIGH BUSH CRANBERRY	Viburnum trilobum	60 cm	3 gal	2.5m o/c	D-3	Full form / Container grown
SWM	PONI	O PLANT LIST. REFER TO DETAILS AND	NOTES ON LP-2					
DECIDI	IOLIG	PREEC						
DECIDU			A con milimine	15	WD	0.0 0/0	D 1	Evil Form/Fell manning only
Ar As	5 2	RED MAPLE SUGAR MAPLE	Acer rubrum Acer saccharum	45 mm	W.B.	9.0 m o/c 9.0 m o/c	D-1 D-1	Full Form/ Fall prunning only Full Form/ Fall prunning only
Asn	2	SILVER MAPLE	Acer saccharinum Acer saccharinum	60 mm	W.B.	9.0 m o/c	D-1 D-1	Full Form/ Fall prunning only
Ov	3	IRONWOOD	Ostrya virginiana	45 mm	W.B.	7.0 m o/c	D-1 D-1	Full Form/ Spring plant only
Qa	2	WHITE OAK	Quercus alba	45 mm	W.B.	15.0 m o/c	D-1	Spring planting/ Soil pH<7.5
CONIFE		l.	<u> </u>		1			101
			n' 1	150	1	5 /	D 2	F 11.6 / D / / 1 1
Pg Ps	10	WHITE SPRUCE EASTEDN WHITE DINE	Picea glauca Pinus strobus	150 cm		5m o/c 6m o/c	D-2	Full form / Do not cut leader Full form / Do not cut leader
	17 E CUDI	EASTERN WHITE PINE	r mus strodus	150 cm	w.b.	OIII O/C	D-2	ruli loriii / Do not cut leader
NATIVE	SHKU	UDO .						
Jc	21	CANADIAN JUNIPER	Juniperus communis var. depressa	40cm	3 gal	1.5m o/c	D-2	Full form / Container grown
Popu	25	COMMON NINEBARK	Physocarpus opulifolius	50cm	3 gal	1.8m o/c	D-3	Full form / Container grown
Rtyp	25	STAGHORN SUMAC	Rhus typhina	80cm	3 gal	2.5m o/c	D-3	Full form / Container grown
Tax	52	AMERICAN YEW	Taxus canadensis	40cm	2 gal	1.0 m o/c	D-3	Full form / Container grown
Vraf	54	DOWNY ARROW-WOOD	Viburnum rafinesquianum	50 cm	3 gal	1.5m o/c	D-3	Full form / Container grown

RESTORATION PLANT LIST. REFER TO DETAILS AND NOTES ON LP-2




PICNIC TABLE ON CONCRETE PAD (LP-3)


GENERAL LEGEND







Estimated tree canopy size after 10 years



GENERAL NOTES

CONTRACTOR IS RESPONSIBLE FOR ALL LOCATES INCLUDING ALL UNDERGROUND SERVICES PRIOR TO ANY EXCAVATION OR INSTALLATIONS. THE CONTRACTOR IS REQUIRED TO NOTIFY THE VARIOUS UTILITY COMPANIES 48 HOURS PRIOR TO THE COMMENCEMENT OF ANY WORK.

ANY ACCOMPANYING DOCUMENTATION RELATING TO THE LANDSCAPE PLAN AND/OR PRESERVATION PLAN SUCH AS TENDER DOCUMENTS AND CHANGE NOTICES ARE TO BE ENDORSED BY J.D.B. ASSOCIATES LIMITED PRIOR TO THE BEGINNING OF ANY SITE WORKS. IN THE EVENT THAT OF A DISCREPANCY THE DRAWING SHALL BE ASSUMED CORRECT.

IT IS THE RESPONSIBILITY OF THE PERSON OR PERSONS RESPONSIBLE FOR THE CONSTRUCTED WORKS TO NOTIFY THE LANDSCAPE ARCHITECT WHEN PREPARED FOR ANY REQUIRED INSPECTIONS AND SIGN OFFS.

SCHEDULED MEETINGS SHALL TAKE PLACE AT THE CLOSEST MUTUALLY CONVENIENT TIME.


No.	REVISION	DATE	APRVD
1.	CLIENT REVIEW	December 6 th , 2022	StT
2.	AS PER TOWN COMMENTS	December 27 th , 2023	StT
3.	AS PER TOWN COMMENTS	May 28th, 2024	StT
4.	AS PER TOWN COMMENTS	August 1st, 2024	StT

ALL DRAWINGS AND SPECIFICATIONS ARE INSTRUMENTS OF SERVICE AND ARE THE PROPERTY OF JDB ASSOCIATES LIMITED. DRAWINGS ARE NOT TO BE MODIFIED AND/OR REPRODUCED WITHOUT THE WRITTEN CONSENT OF JDB ASSOCIATES LIMITED. REPRODUCTION OF DRAWINGS IN ANY FORM WITHOUT THE CONSENT OF JDB ASSOCIATES LIMITED VOIDS THE DRAWING AT WHICH TIME JDB ASSOCIATES LIMITED ACCEPTS NO LIABILITY FOR THE DRAWING CONTENT OR WORKS RESULTING FROM SAID REPRODUCTION. DRAWINGS MAY BE REPRODUCED BY MUNICIPAL AND GOVERNMENT AGENCIES RESPONSIBLE FOR APPROVALS FOR THEIR OWN USE. JDB ASSOCIATES RESERVES THE RIGHT TO WITHDRAW ANY DRAWING(S) FROM GOVERNMENT OR MUNICIPAL AGENCIES WHETHER APPROVED OR NOT IN THE

IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY ALL DIMENSIONS ON THE SITE AND REPORT ANY DISCREPANCIES OR VARIATIONS FROM THE JDB ASSOCIATES LIMITED IS NOT RESPONSIBLE FOR THE ACCURACY OF SURVEY, ARCHITECTURAL, MECHANICAL, ENGINEERING OR ELECTRICAL INFORMATION SHOWN ON THE DRAWING. FOR FURTHER INFORMATION REFER TO APPROPRIATE SURVEY, ARCHITECTURAL, MECHANICAL, ENGINEERING OR ELECTRICAL DRAWINGS PRIOR TO PROCEEDING WITH ANY WORKS.

THIS DRAWING IS NOT TO BE SCALED.







JDB associates LTD. Urban Designers Landscape Architects Arborists

274 Burton Ave., Suite 1201 Barrie, Ontario L4N 5W4


Fax: 705-722-5660 Tel: 705-722-6278


LOT 31 CLARK ST


Town of the Blue Mountains, ON

LANDSCAPE/ RESTORATION PLANTING PLAN

SCALE:	DESIGNED BY:	REVIEWED BY:		
As shown	IT	NB		
TOWN FILE No.	OUR FILE REF. # 14-22	LP-1		







SHORELINE ZONE

NO-MOW ZONE APPROXIMATELY 837 sq/m (+10%) (+/- MEASUREMENTS TO BE TAKEN

- #7107 SEASONALLY FLOODED ANNUAL/PERENNIAL MIXTURE 5% NODDING BUR MARIGOLD (Biddens ceruna
- 22% FOX SEDGE (Carex vulpinoidea 25% CANADA WILD RYE (Elymus canadensis)
- 25% SWITCHGRASS (Panicum virgatum) 23% FOWL MEADOWGRASS (Poa palustris)

SEEDING RATE - 30kg PER HECTARE SUPPLIED BY - OSC SEEDS 1-519-886-055 ANNUAL RYE NURSE CROP TO BE APPLIED AT TIME OF SEASONALI

FLOODED ANNUAL/PERENNIAL MIXTURE AT A RATE OF 12kg PER

NB - ALL DISTURBED AREAS TO BE TERRASEEDED

UPLAND PLANTING ZONE

NO-MOW ZONE (INCLUDING ACCESS ROAD) APPROXIMATELY 5,500 sq/m (+10%) (+/- MEASUREMENTS TO BE

SIMCOE COUNTY NATIVE UPLAND MIXTURE

- 2% NEW ENGLAND ASTER (Aster novae-anglaie)
- 12% BLACK EYED SUSAN (Rudbeckia hirta) 20% SAND DROPSEED (Sporobolus crytandrus
- 20% CANADA WILD RYE (Elymus candadensis) 4% CANADA GOLDEN ROD (Solidago canadensis
- 5% COMMON MILKWEED (Asclepias syriaca)
- 1% WILD BERGAMONTE (Monarda Fistulosa 1% SMOOTH BLUE ASTER (Aster laevis)
- 15% LITTLE BLUE STEM (Andropogon scoparius) 20% INDIANGRASS (Sorghastrum nutans)

SUPPLIED BY - OSC SEEDS 1-519-886-0557 ANNUAL RYE NURSE CROP TO BE APPLIED AT TIME OF NATIVE UPLAND PLANTING MIXTURE AT A RATE OF 12kg PER HECTARE. REFER TO TERRASEEDING NOTES AND MULCH APPLICATION SPECIFICATIONS IN THIS BOX FOR FURTHER DETAILS.

TERRASEEDING APPLICATION SPECIFICATIONS

ECOBLANKET OR TERRASEEDING TACTIFIER / FLEXGUARD HYDROMULCH SHALL BE APPLIED AS PER MANUFACTURER SPECIFICATIONS. SEE NOTES ON THIS PAGE.

IN THE SWM POND AREA TOPSOIL SHALL BE PROVIDED TO A MINIMUM DEPTH OF 0.45m FOR TERRESTRIAL AREAS EXCEPT THE ACCESS ROAD BASE (5cm) AND MINIMUM 0.35m FOR TEMPORARY UNDERWATER AREAS. TOPSOIL QUALITY SHALL BE AS PER OPSS 570. IT SHALL BE TESTED BY AN INDEPENDENT LABORATORY PRIOR TO

SEEDING AND TOP SOIL NOTES

CLIENT REVIEW December 6th, 2022 St AS PER TOWN COMMENTS December 27th, 2023 StT AS PER TOWN COMMENTS May 28th, 2024 AS PER TOWN COMMENTS August 1st, 2024

CONTRACTOR IS RESPONSIBLE FOR ALL LOCATES INCLUDING ALL

UNDERGROUND SERVICES PRIOR TO ANY EXCAVATION OR INSTALLATIONS.

ANY ACCOMPANYING DOCUMENTATION RELATING TO THE LANDSCAPE

PLAN AND/OR PRESERVATION PLAN SUCH AS TENDER DOCUMENTS AND

CHANGE NOTICES ARE TO BE ENDORSED BY J.D.B. ASSOCIATES LIMITED

PRIOR TO THE BEGINNING OF ANY SITE WORKS. IN THE EVENT THAT OF A

IT IS THE RESPONSIBILITY OF THE PERSON OR PERSONS RESPONSIBLE FOR

THE CONSTRUCTED WORKS TO NOTIFY THE LANDSCAPE ARCHITECT WHEN

SCHEDULED MEETINGS SHALL TAKE PLACE AT THE CLOSEST MUTUALLY

COMPANIES 48 HOURS PRIOR TO THE COMMENCEMENT OF ANY WORK.

DISCREPANCY THE DRAWING SHALL BE ASSUMED CORRECT.

PREPARED FOR ANY REQUIRED INSPECTIONS AND SIGN OFFS.

THE CONTRACTOR IS REQUIRED TO NOTIFY THE VARIOUS UTILITY

ALL DRAWINGS AND SPECIFICATIONS ARE INSTRUMENTS OF SERVICE AND ARE THE PROPERTY OF JDB ASSOCIATES LIMITED. DRAWINGS ARE NOT TO BE MODIFIED AND/OR REPRODUCED WITHOUT THE WRITTEN CONSENT OF JDB ASSOCIATES LIMITED. REPRODUCTION OF DRAWINGS IN ANY FORM WITHOUT THE CONSENT OF JDB ASSOCIATES LIMITED VOIDS THE DRAWING AT WHICH TIME JDB ASSOCIATES LIMITED ACCEPTS NO LIABILITY FOR THE DRAWING CONTENT OR WORKS RESULTING FROM SAID REPRODUCTION DRAWINGS MAY BE REPRODUCED BY MUNICIPAL AND GOVERNMEN' AGENCIES RESPONSIBLE FOR APPROVALS FOR THEIR OWN USE. JDB ASSOCIATES RESERVES THE RIGHT TO WITHDRAW ANY DRAWING(S) FROM GOVERNMENT OR MUNICIPAL AGENCIES WHETHER APPROVED OR NOT IN THE EVENT THAT ACCOUNTS ARE NOT SETTLED OR REMAIN OUTSTANDING

IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY ALL DIMENSIONS ON THE SITE AND REPORT ANY DISCREPANCIES OR VARIATIONS FROM TH SUPPLIED INFORMATION TO THE LANDSCAPE ARCHITECT WITH THE PROJECT. JDB ASSOCIATES LIMITED IS NOT RESPONSIBLE FOR THE ACCURACY OF SURVEY, ARCHITECTURAL, MECHANICAL, ENGINEERING OR ELECTRICAL INFORMATION SHOWN ON THE DRAWING. FOR FURTHER INFORMATION REFER TO APPROPRIATE SURVEY ARCHITECTURAL MECHANICAL ENGINEERING OR ELECTRICAL DRAWINGS PRIOR TO PROCEEDING WITH ANY WORKS.


THIS DRAWING IS NOT TO BE SCALED.

GENERAL NOTES

BASE PLAN REVISED: MARCH, 2022 Client info:

IPS- INNOVATIVE PLANNING SOLUTIONS 647 Welham Road, Unit 9A, Barrie, ON, L4N 0B7

ACCEPTED BY



JDB associates Ltd.

Urban Designers Landscape Architects Arborists

274 Burton Ave., Suite 1201 Barrie, Ontario L4N 5W4

Fax: 705-722-5660 Tel: 705-722-6278

LOT 31 CLARK ST

Town of the Blue Mountains, ON

LANDSCAPE PLAN DETAILS

DESIGNED BY REVIEWED BY: NTS TOWN FILE No. OUR FILE REF. # LP-2

PREPARED SURFACE BLOWN ON COMPOSTED ORGANICS INJECTED WITH MICRO BLEND WITH SEED MIX MIN. 25mm (1") APPLICATION ON SLOPE UP TO 3:1 (H:V) MIN. 50mm (2") APPLICATION ON SLOPES 3:1 TO 2:1 (H:V) POTTED PLANTS TO BE INSTALLED PRIOR TO ECO-BLANKET APPLICATION BARE ROOT PLANTS INSTALLED PRIOR TO ECO-BLANKET APPLICATION -NO FOOT TRAFFIC ON ECO-BLANKET FOR ONE FULL GROWING SEASON AFTER - BASE OF PLANTS TO BE SITUATED FLUSH WITH FINISH GRADE OF ECO-BLANKET

CONSIST OF HIGH OUALITY SOIL SIX PARTS OF FERTILE LOAM SOIL (50-60% SAND, 20-40% SILT, 6-10% CLAY, 2-5% ORGANIC), WITH A pH OF 7.5* OR LESS, FREE OF CLAY LUMPS, DEBRIS, TOXIC SUBSTANCES, STONES, WOODY MATERIAL, WEED SEEDS AND GRASS ROOTS

ONE PART OF WELL-ROTTED FARM MANURE

20cm HIGH QUALITY SOIL: SIX PARTS OF FERTILE LOAM SOIL (50-60% SAND, 20-40% SILT, 6-10% CLAY, 2-5% ORGANIC), WITH A pH OF 7.5* OR LESS, FREE OF CLAY LUMPS, DEBRIS, TOXIC SUBSTANCES, STONES, WOODY MATERIAL, WEED SEEDS AND GRASS ROOTS

HOLE TREE PITS SHALL BE PERMITTED OVERNIGHT. . REMOVE BURLAP AND ROPE FROM THE TOP 1/3 OF ROOT BALLS. . WATER AT TIME OF PLANTING AND WHENEVER DEEMED NECESSARY TO MAINTAIN THE TREES IN A

NO ACCESSIBLE OPEN HOLE TREE PITS SHALL BE PERMITTED OVERNIGHT. ALL OPEN PITS SHALL BE

ALL PLANT MATERIALS WHICH CAN NOT BE PLANTED IMMEDIATELY UPON ARRIVAL ON SITE SHALL BE PROPERLY HEELED IN OR WELL PROTECTED WITH SOIL OR SIMILAR MATERIALS TO PREVENT DRYING OUT

(2L OF "MIKE" OR SIMILAR PRODUCT SHALL BE USED FOR EACH 60MM CALIPER TREE)

SITE CONDITIONS

PLANTING NOTES

AND SHALL BE KEPT MOIST UNTIL COMMENCEMENT OF PLANTING

PLANTING NOTES (REFER TO "SEEDING AND TOPSOIL NOTES" ON THIS PAGE FOR THE SWM POND AREA)

VERIFY ALL EXISTING SITE CONDITIONS AND REPORT ANY DISCREPANCIES BEFORE COMMENCING WORK.

TO SERVICES, EXISTING VEGETATION OR ANY OTHER FEATURES TO BE RETAINED.

SOD AREAS TO RECEIVE 200MM DEPTH OF TOPSOIL UNLESS OTHERWISE INDICATED.

AND REPLACED AS PER TOPSOIL REQUIREMENTS.

PLANT MATERIAL REQUIREMENTS

UNLESS OTHERWISE STATED

IN THE PLANT SCHEDULE

ASSUMED TO BE CORRECT.

THE CONTRACTOR SHALL VERIFY THE LOCATION OF ALL UTILITIES AND IS RESPONSIBLE FOR ANY DAMAGE

FOR ALL AREAS OF DISTURBANCE: NATIVE TOPSOIL IS TO BE STRIPPED, STOCK PILED, LABORATORY TESTED

UNIFORM SPECIMENS, NO SUBSTITUTIONS WILL BE PERMITTED WITHOUT WRITTEN APPROVAL FROM THE

DECIDUOUS TREES SHALL HAVE A STRAIGHT CENTRAL LEADER AND WELL BRANCHED 1.5M ABOVE GRADE

CONIFEROUS TREES SHALL HAVE A STRAIGHT CENTRAL LEADER AND DENSELY BRANCHED TO WITHIN 0.3m

PLANT MATERIAL TO BE NO.1 GRADE NURSERY STOCK. UNSATISFACTORY STOCK WILL BE REFUSED ON THE

SOD TO BE CANADA NO.1 NURSERY SOD, MEETING ONTARIO SOD GROWERS ASSOCIATION STANDARDS. ALL

. ALL PLANT MATERIAL WHICH ARE SPECIFIED BY O.C. (ON CENTER SPACING) ARE TO BE PLANTED AS NOTED

ALL TREE PITS SHALL INCLUDE TREATMENT WITH MICORRHIZAL FUNGI OF THE WALLS BEFORE PLANTING

ALL TREES ARE TO BE STAKED OR GUY WIRED ACCORDING TO DETAILS PROVIDED. NO ACCESSIBLE OPEN

LOCATIONS FOR PLANT MATERIAL AND PLANTING BEDS ARE TO BE MARKED OR STAKED OUT BY THE

CONTRACTOR AND APPROVED BY THE LANDSCAPE ARCHITECT AND MUNICIPAL STAFF PRIOR TO

IN THE EVENT OF A DISCREPANCY BETWEEN THE PLANT LIST AND DRAWING, THE DRAWING WILL BE

ALL MASS PLANTINGS OF SHRUBS SHALL BE IN CONTINUOUS BEDS AND MULCHED AS SPECIFIED.

ALL PLANTING MATERIAL AND OPERATIONS TO MEET OR EXCEED THE HORTICULTURAL STANDARDS OF THE CANADIAN NURSERY LANDSCAPE ASSOCIATION AND THE HORTICULTURAL TRADES ASSOCIATION. ALL

PLANT MATERIAL LISTED IN THE PLANT SCHEDULE ARE MINIMUM SIZES +/- NURSERY GROWN AND

ADEQUATELY PROTECTED BY BARRIERS OR FILLED IN WITH SOIL PRIOR TO THE END OF EACH PLANTING

9. ALL NEW WORK TO BLEND NEATLY AND SMOOTHLY WITH EXISTING CONDITIONS.

INSPECTION AND WARRANTY 1. GIVE TIMELY NOTICE TO THE LANDSCAPE ARCHITECT FOR THE REQUIRED START UP SITE INSPECTION TO REVIEW SITE CONDITIONS AND SCHEDULE FOLLOW UP INSTALLATIONS.

2. INSTALLATION OF PLANT MATERIAL PRIOR TO INSPECTION BY THE LANDSCAPE ARCHITECT WILL BE THE CONTRACTOR'S RESPONSIBILITY.

3. THE LANDSCAPE ARCHITECT RESERVES THE RIGHT TO REJECT ANY PLANTS, WHETHER INSTALLED OR NOT, WHICH DO NOT CONFORM TO THE SPECIFICATIONS AND/OR SITE DRAWING. REMOVE ALL REJECTED PLANTS FROM THE SITE IMMEDIATELY. DO NOT REMOVE ANY LABELS FROM PLANTS UNTIL PLANTS HAVE BEEN INSPECTED AND APPROVED BY THE LANDSCAPE ARCHITECT

4. ALL PLANT MATERIAL AND WORKMANSHIP WILL BE INSPECTED AND IS UNDER WARRANTY FOR A MINIMUM OF TWO YEAR FROM DATE OF WRITTEN ACCEPTANCE. ALL PLANT MATERIAL MUST BE IN A HEALTHY, VIGOROUS GROWING CONDITION SATISFACTORY TO THE CONTRACT ADMINISTRATOR AT THE END OF THE WARRANTY PERIOD

OR BE REPLACED AT THE CONTRACTORS EXPENSE.

5. FINAL ACCEPTANCE OF THE PROJECT WILL BE CARRIED OUT UPON COMPLETION OF ALL WORK INCLUDED IN THE CONTRACT.

TOPSOIL REQUIREMENTS (LANDSCAPING AREAS)

6. PROVIDE MINIMUM SOIL VOLUME PER TREE AT 0.45m DEPTH FOR STREET TREES (OR ABOVE UTILITIES) AND MAX. 0.9m IN OTHER

- 18 m³ FOR LARGE TREES - 12 m³ FOR SMALL TREES

7. PREPARED SOIL MIXTURE FOR EACH TREE PITS AND SHRUBS SHALL

ONE PART COARSE PULVERIZED CANADIAN PEAT MOSS

8. PREPARED SOIL MIXTURE FOR SOD AREAS SHALL CONSIST OF MIN.

ECOBLANKET SPECIFICATIONS AND DETAIL

DETAIL ADAPTED FROM LANDSOURCE ORGANIX EcoBlanket (tel.:1-877-548-8558)

This work shall consist of furnishing, constructing and maintaining an EcoBlanket(to Rexius specifications. EcoBlanket is a ground cover (surface blanket) of the Rexius pecified compost/mulch (Erosion Blend) combined with a special additive (Microblend) constructed with a pneumatic blower to control and reduce soil erosion. An EcoBlanket stabilizes the soil, prevents splash, sheet and rill erosion, and removes suspended soil particles and contaminants from water moving off the site and into adjacent waterways or storm water conveyance systems 1.1. This EcoBlanket must be applied by Landsource Organix Ltd., 100 Britannia Road East, Hornby, Ontario L0P 1E0, tollfree 1 877 548 8558 (toll free fax 1 877 548 8559) or equivalent certified EcoBlanket installe

1.2. Materials must be applied using a pneumatic blower unit complete with a supplemental granular injection system capable of installing at least 15 cubic meters per hour. 1.3. Contractor must have at least 3 years of proven experience in successfully installing EcoBlanketsTM.

The EcoBlanket filtering material consists of the Rexius Erosion Blend of compost and mulch materials, according to the Rexius particle sizing specifications, in combination with the Rexius Microblend additive. 2.1. Particle size must meet exact specifications of the Rexius EcoBlanket Erosion Blend material supplied by a certified supplier/installer 2.2. The compost portion of EcoBlanket shall be derived from well-decomposed organic matter source produced by controlled aerobic (biological) decomposition that has been sanitized through the generation of heat and stabilized to the point that it is appropriate for this particular application. Compost material shall be processed through proper thermophilic composting, meeting the Canadian Council of Ministers of the Environment's (CCME) definition for a 'process to further reduce pathogens' (PFRP). The compost

portion shall meet the chemical, physical and biological properties (as outlined in the chart on reverse). These and all other required properties for the performance of the EcoBlanket are included in the Rexius EcoBlanket Manufacture Guidelines followed by certified suppliers/installers. 2.3. Rexius Microblend additive shall be injected into Erosion Blend material at time of EcoBlanket construction. 2.4. A proof of certification as an EcoBlanket supplier shall be submitted to the Landscape Architect for approval prior to installation. Test results for EcoBlanket performance

shall be made available upon request. 2.5. Where seeding or planting is planned, Erosion Blend material must meet Rexius' minimum specification requirements for seeding purposes.

1. The EcoBlanket shall be placed as shown on the plans or as directed by the Landscape Architect. 3.2. On areas with slopes 3:1 to 2:1 (H:V) the EcoBlanket shall be uniformly applied directly at the soil surface with a pneumatic blower as specified by Rexius. EcoBlanket shall be applied at a depth of 50 mm minimum and approximately 90 cm over the top of the slope, or overlap it into existing vegetation. On areas with slopes up to 3:1(H:V) the EcoBlanket shall be applied at a depth of 25mm minimum. In extreme conditions and where specified by the Engineer/Landscape Architect., EcoBerms shall be added and constructed at the top of the slope in parallel intervals down the profile of the slope (6 metres to 9 metres apart) if necessary. (The Engineer/Landscape Architect shall specify

3.3. Rexius Microblend shall be applied/injected at a minimum rate of 615 kgs. per hectare (or as specified by Rexius), to be confirmed by inspector/project manager. 3.4. EcoBlanket application depth may be modified based on specific site (e.g., soil characteristics, existing vegetation) and climatic conditions, as well as particular project related requirements. The severity of slope grade, as well as slope length will also influence the addition of EcoBerms and number of EcoBerm placements in combination with 3.5. If temporary or long-term vegetation is required, Erosion Blend material may be injected with seed during application. The Engineer/Landscape Architect shall specify seed

requirements and the compost/mulch component shall abide by the minimum standards set by Rexius for seeding. 3.6. Where vegetation is to be established, slightly roughen (scarify) slopes and remove large clods, rocks, stumps, roots larger than 50 mm in diameter and debris on slopes. This soil preparation step may be eliminated where approved by the Landscape Architect/Designer, or where seeding or planting is not planned. Where practical, track (compact) perpendicular to contours on the slope using a bulldozer before applying EcoBlanket injected with seed. 3.7. Do not use EcoBlankets in areas of concentrated flow (ie. ditches, streams, etc.) 3.8. Unless otherwise allowed by Landscape Architect, seeding shall be performed within the local region's seeding deadlines.

The Contractor shall maintain the EcoBlanket in a functional condition at all times. Contractor shall make periodic inspections of the EcoBlanket for effectiveness and shall

immediately correct all deficiencies. Where deficiencies exist, additional EcoBlanket material shall be installed immediately to required depth. 5.0 Method of Measurement:

EcoBlanket shall be measured by the square metre, complete in place.


6.1. Place EcoBlankets on denuded areas immediately or as directed by Landscape Architect. EcoBerms and/or temporary or permanent vegetation shall be applied/established when necessary, along with other appropriate structural measures and controls, for additional erosion and sediment control. 6.2. The work specified in this Section consists of designing, providing, and maintaining erosion and sedimentation controls as necessary. All existing and foreseeable future conditions that affect the work inside and outside the site limits must be acknowledged as the Contractor's responsibility. 6.3. Contractor is responsible for providing effective sediment control measures based on performance. Contractor may, with approval from the Landscape Architect, work outside the minimum construction requirements to establish a working erosion control system.

Parameters 1,4 Reported as (units of measure) EcoBlanket to be Vegetated EcoBlanket to be left Un-vegetated PH2 pH units 5.0 - 8.5 N/A Soluble Salt Concentration2 (electrical conductivity) ds/m (mmhos/cm) Maximum 5 N/A Stability3 Carbon Dioxide Evolution Rate mg CO2-C per g OM per day < 8 N/A

Physical Contaminants (man-made inerts) % dry weight basis < 1 < 1

1. Recommended test methodologies are provided in Test Methods for the Examination of Composting and Compost (SCC through BNQ) 2. Each specific plant species requires a specific pH range. Each plant also has a salinity tolerance rating, and maximum tolerable quantities are known. When specifying the establishment of any plant or turf species, it is important to understand their pH and soluble salt requirements, and how they relate to the compost in use. 3. Stability/Maturity rating is an area of compost science that is still evolving, and as such, other various test methodscould be considered. Also, never base compost quality conclusions on the result of a single stability/maturity test.


4. Landscape Architect may modify the allowable compost specification ranges based on specific field conditions and plant requirements.



SECURITY CHAIN LINK FENCE DETAIL - black vinyl coated


ADA Hex Recycled Plastic Picnic Table - 46", Cedar

Virtually maintenance free! Recommended for warehouse patios, campgrounds, schools and parks.




- 100% recycled UV-protected plastic won't rot, splinter or crack. Withstands harsh weather.
- Natural-looking wood material never needs sanding, sealing, painting or staining.
- Durable 2" thick planks predrilled for easy assembly.
- H-6681 Mounting Hardware available.


PICNIC BENCH U-LINE MODEL H-6575 ON CONCRETE PAD (BELOW)



CONCRETE PAD DETAIL (typ.)



GARBAGE ENCLOSURE FENCE DETAIL



GATE DETAIL (typ.) - GATE STYLE TO MATCH THE FENCE STYLE AND SPECS.

SHOP DRAWING TO BE PROVIDED TO THE LANDSCAPE ARCHITECT FOR APPROVAL BEFORE CONSTRUCTION



GENERAL NOTES

CONTRACTOR IS RESPONSIBLE FOR ALL LOCATES INCLUDING ALL UNDERGROUND SERVICES PRIOR TO ANY EXCAVATION OR INSTALLATIONS. THE CONTRACTOR IS REQUIRED TO NOTIFY THE VARIOUS UTILITY COMPANIES 48 HOURS PRIOR TO THE COMMENCEMENT OF ANY WORK.

ANY ACCOMPANYING DOCUMENTATION RELATING TO THE LANDSCAPE PLAN AND/OR PRESERVATION PLAN SUCH AS TENDER DOCUMENTS AND CHANGE NOTICES ARE TO BE ENDORSED BY J.D.B. ASSOCIATES LIMITED PRIOR TO THE BEGINNING OF ANY SITE WORKS. IN THE EVENT THAT OF A DISCREPANCY THE DRAWING SHALL BE ASSUMED CORRECT.

IT IS THE RESPONSIBILITY OF THE PERSON OR PERSONS RESPONSIBLE FOR THE CONSTRUCTED WORKS TO NOTIFY THE LANDSCAPE ARCHITECT WHEN PREPARED FOR ANY REQUIRED INSPECTIONS AND SIGN OFFS.

SCHEDULED MEETINGS SHALL TAKE PLACE AT THE CLOSEST MUTUALLY CONVENIENT TIME.

No.	REVISION	DATE	APRVD
1.	CLIENT REVIEW	December 6 th , 2022	StT
2.	AS PER TOWN COMMENTS	December 27 th , 2023	StT
3.	AS PER TOWN COMMENTS	May 28 th , 2024	StT
4.	AS PER TOWN COMMENTS	August 1st, 2024	StT

ALL DRAWINGS AND SPECIFICATIONS ARE INSTRUMENTS OF SERVICE AND ARE THE PROPERTY OF JDB ASSOCIATES LIMITED. DRAWINGS ARE NOT TO BE MODIFIED AND/OR REPRODUCED WITHOUT THE WRITTEN CONSENT OF JDB ASSOCIATES LIMITED. REPRODUCTION OF DRAWINGS IN ANY FORM WITHOUT THE CONSENT OF JDB ASSOCIATES LIMITED VOIDS THE DRAWING AT WHICH TIME JDB ASSOCIATES LIMITED ACCEPTS NO LIABILITY FOR THE DRAWING CONTENT OR WORKS RESULTING FROM SAID REPRODUCTION. DRAWINGS MAY BE REPRODUCED BY MUNICIPAL AND GOVERNMENT AGENCIES RESPONSIBLE FOR APPROVALS FOR THEIR OWN USE. JDB ASSOCIATES RESERVES THE RIGHT TO WITHDRAW ANY DRAWING(S) FROM GOVERNMENT OR MUNICIPAL AGENCIES WHETHER APPROVED OR NOT IN THE EVENT THAT ACCOUNTS ARE NOT SETTLED OR REMAIN OUTSTANDING.

IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY ALL DIMENSIONS ON THE SITE AND REPORT ANY DISCREPANCIES OR VARIATIONS FROM THE SUPPLIED INFORMATION TO THE LANDSCAPE ARCHITECT WITH THE PROJECT. JDB ASSOCIATES LIMITED IS NOT RESPONSIBLE FOR THE ACCURACY OF SURVEY, ARCHITECTURAL, MECHANICAL, ENGINEERING OR ELECTRICAL INFORMATION SHOWN ON THE DRAWING. FOR FURTHER INFORMATION REFER TO APPROPRIATE SURVEY, ARCHITECTURAL, MECHANICAL, ENGINEERING OR ELECTRICAL DRAWINGS PRIOR TO PROCEEDING WITH ANY WORKS.

THIS DRAWING IS NOT TO BE SCALED.







JDB associates LTD.

Urban Designers
Landscape Architects

274 Burton Ave., Suite 1201 Barrie, Ontario L4N 5W4



Fax: 705-722-5660 Tel: 705-722-6278

LOT 31 CLARK ST

Town of the Blue Mountains, ON

LANDSCAPE/ RESTORATION PLANTING PLAN

SCALE:	DESIGNED BY:	REVIEWED BY:		
1:600	IT	NB		
TOWN FILE No.	OUR FILE REF. # 14-22	LP-3		