




- NOTES:**
- MAINTENANCE & OPERATIONS OF SEDIMENT CONTROLS**
- SILT FENCE**
1. SILT FENCE MUST BE INSPECTED WEEKLY FOR RIPS OR TEARS, BROKEN STAKES, BLOW-OUTS AND ACCUMULATION OF SEDIMENT.
 2. SILT FENCE MUST BE INSPECTED FOLLOWING ALL 15mm OR GREATER RAIN STORM EVENT OR AS DIRECTED BY THE CONTRACT ADMINISTRATOR.
 3. SEDIMENT MUST BE REMOVED FROM SILT FENCE WHEN ACCUMULATION REACHES 50% OF THE HEIGHT OF THE FENCE.
 4. ALL SILT FENCES MUST BE REMOVED ONLY WHEN THE ENTIRE SITE IS STABILIZED AND AS DIRECTED BY THE CONTRACT ADMINISTRATOR.
- MUD MAT**
1. INSPECT MUD MAT WEEKLY TO ASSESS CONDITION AND ENSURE OPERATION EFFICIENCY.
 2. SUPPLY AND PLACE ADDITIONAL GRANULAR/RIP RAP MATERIAL AS DIRECTED BY THE CONTRACT ADMINISTRATOR.
 3. MUD MAT TO REMAIN IN PLACE UNTIL SITE IS STABILIZED OR AS DIRECTED BY THE CONTRACT ADMINISTRATOR.
- CHECK DAM**
1. CHECK DAMS TO BE REVIEWED REGULARLY AND AFTER SIGNIFICANT RAINFALLS. CHECK DAMS ARE TO BE MAINTAINED/REPLACED IF REQUIRED.



ONTARIO PROVINCIAL STANDARD DRAWING	Nov 2015	Rev. 12
STRAW BALE FLOW CHECK DAM		
OPSD 219.180		



1. THIS DRAWING IS THE EXCLUSIVE PROPERTY OF C.F. CROZIER & ASSOCIATES INC. AND THE REPRODUCTION OF ANY PART WITHOUT PRIOR WRITTEN CONSENT OF THIS OFFICE IS STRICTLY PROHIBITED.

2. THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS, LEVELS, AND DATUMS ON SITE AND REPORT ANY DISCREPANCIES OR OMISSIONS TO THIS OFFICE PRIOR TO CONSTRUCTION.

3. THIS DRAWING IS TO BE READ AND UNDERSTOOD IN CONJUNCTION WITH ALL OTHER PLANS AND DOCUMENTS APPLICABLE TO THIS PROJECT.

4. DO NOT SCALE THE DRAWINGS.

5. ALL EXISTING UNDERGROUND UTILITIES TO BE VERIFIED IN THE FIELD BY THE CONTRACTOR PRIOR TO CONSTRUCTION.

TEMPORARY BENCHMARKS

ELEVATIONS HEREON ARE GEODETIC AND ARE REFERRED TO THE GEODETIC MONUMENT NO. 72U313 HAVING AN ELEVATION OF 179.633 METRES (CGVD 28.78).

TBM#1 - TOP OF MANHOLE RIM NEAR THE SOUTH SIDE OF THE PROPERTY HAVING AN ELEVATION OF 179.22

TOPOGRAPHIC SURVEY PER ZUBEK, EMO, PATTEN & THOMSEN LIMITED. O.L.S. RECEIVED 2021.01.18

No.	ISSUE	DATE: YYYY/MM/DD
0	ISSUED FOR 1st SUBMISSION	2023/04/05
1	ISSUED FOR 2nd SUBMISSION	2025/10/01

Engineer: **J. I. ELDER**
100522626
2/1/2025
PROVINCE OF ONTARIO

Engineer: **L.Y. WANG**
100178087
10/1/2025
PROVINCE OF ONTARIO

THE LAKE AT BLUE TOWN OF THE BLUE MOUNTAINS

EROSION & SEDIMENT CONTROL PLAN

Drawn By: J.A.P.	Design By: J.E./P.N.R.	Project: 1527-5838
Check By: J.E.	Scale: 1:150	Drawing: C104